



BMX-Crank Set



3pcs-8T+MB Crankset Assembly Drawing




3pcs-48T+MB Crankset Assembly Drawing




BB SHELL TYPE	MODEL #W	WIDTH (mm)	LEFT SIDE		BEARING	TUBE SPACER WIDTH (mm)	BEARING	RIGHT SIDE (CHAIN WHEEL: 5mm)				
-	-	-									C.L.	W
			2mm	6.5mm				2.5mm	2mm	5.5mm		
MID	DX-8T	68	4	1	Ø 41.28 × 11	44	Ø 41.28 × 11	1	1	1	41.5	131
		73	1	1	Ø 41.28 × 11	49	Ø 41.28 × 11	1	1	1	42	131.5
SPANISH	D-8T	68	4	1	Ø 37 × 9	48	Ø 37 × 9	1	1	1	41.5	139.6
EURO	C-8T	68	5	-	Ø 31 × 7	48	Ø 31 × 7	-	1	1	43.8	144.1
					CUP:1.37"×24T R		CUP:1.37"×24T L					
		73	2	-	Ø 31 × 7	53	Ø 31 × 7	-	1	1	43.3	143.6
					CUP:1.37"×24T R		CUP:1.37"×24T L					
AMERICAN	F-8T	68	2	1	Ø41.28×11	50	Ø41.28×11	1	-	1	42.5	141.5
					CUP OD:Ø 51.5		CUP OD:Ø 51.5					

3pcs(8T)-Loose Ball B.B. KL-10C-1 Crankset Assembly Drawing



3pcs(8T)-Loose Ball B.B. KL-10C Crankset Assembly Drawing



BMX-Crank Set



KL-8809

Des.: Three pieces crank set.
Forged arms with one-pinch bolt.
Flush machined chainwheel interface.
Left side drive available.
Axle: 8T-22mm
Bearing: Ø41.28×22×11mm×2pcs
Arm: Alloy
Length: 175mm
Finish: Anodized



Mid-Sealed Bottom Bracket

KL-8810S-22

Des.: Three pieces Cr-Mo crank set.
Ø34.8mm square shape arm.
Flush machined chainwheel interface.
Micro-drive available.
Axle: Hollow axle 48T-22
Bearing: Ø41.28×22×11mm×2pcs
Length: 175mm
Finish: ED



Mid-Sealed Bottom Bracket

KL-8810S-24

Des.: Three pieces Cr-Mo crank set.
Ø34.8mm square shape arm.
Flush machined chainwheel interface.
Micro-drive available.
Axle: Hollow axle 48T-24
Bearing: Ø41.28×24×11mm×2pcs
Length: 175mm
Finish: ED

KL-8800Y-19



Des.: Two pieces Cr-Mo crank set.
Ø31.8mm square shape arm.
Flush machined chainwheel interface.
Left side drive available.
Axle: 48T-19mm
Bearing: Ø41.28×19×11mm×2pcs
Length: 175mm
Finish: ED



KL-8800Y-22



Des.: Two pieces Cr-Mo crank set.
Ø31.8mm square shape arm.
Flush machined chainwheel interface.
Left side drive available.
Axle: Hollow axle 48T-22
Bearing: Ø41.28×22×11mm×2pcs
Length: 175mm
Finish: ED



KL-8800Y-24



Des.: Two pieces Cr-Mo crank set.
Ø34.8mm square shape arm.
Flush machined chainwheel interface.
Left side drive available.
Axle: Hollow axle 48T-24
Cup OD: Ø51.5mm
Bearing: Ø41.28×24×11mm×2pcs
Length: 175mm
Finish: ED



BMX-Crank Set



KL-8800S

Des.: Three pieces crank set.
Ø28.6mm square shape arm.
Flush machined chainwheel interface.
Left side drive available.
Arm: Cr-Mo, 48T-19mm
Length: 170/175/180mm
Finish: ED




KL-8800R

Des.: Three pieces crank set.
Ø28.6mm round shape arm.
Flush machined chainwheel interface.
Left side drive available.
Arm: Cr-Mo, 48T-19mm
Length: 170/175/180mm
Finish: ED



KL-8801S

Des.: Three pieces crank set.
Ø31.8mm square shape arm.
Flush machined chainwheel interface.
Left side drive available.
Arm: Cr-Mo, 48T-19mm
Length: 170/175/180mm
Finish: ED



KL-8800S-E

Des.: Three pieces crank set.
Ø31.8mm square shape arm.
Flush machined chainwheel interface.
Micro-drive available.
Arm: Cr-Mo, 48T-19mm
Length: 170/175/180mm
Finish: ED



KL-11C 48T-19mm

Des.: Euro Sealed Bottom Bracket.
Cr-Mo cold forged spindle.
Alloy cup.Tube spacers.
Adaptor.Screws.
Axle: 48T-19mm
Cup Thread: 1.37"×24T L/R
Bearing: Ø31×19×7mm×4pcs
Finish: Black



KL-11D 48T-19mm

Des.: Spanish Sealed Bottom Bracket.
Cr-Mo cold forged spindle.
Cone Washer.Tube spacers.
Adaptor.Screws.
Axle: 48T-19mm
Bearing: Ø37×19×9mm×2pcs
Finish: Black



KL-11DX 48T-19mm

Des.: Mid Sealed Bottom Bracket.
Cr-Mo cold forged spindle.
Cone Washer.Tube spacers.
Adaptor.Screws.
Axle: 48T-19mm
Bearing: Ø41.28×19×11mm×2pcs
Finish: Black



KL-11F 48T-19mm

Des.: American Sealed Bottom Bracket.
Cr-Mo cold forged spindle.
Alloy cup.Cone Washer.
Tube spacers. Adaptor.Screws.
Axle: 48T-19mm
Cup OD: Ø51.5mm
Bearing: Ø41.28×19×11mm×2pcs
Finish: Black



KL-8912

Des.: Three pieces crank set.
Ø28.6mm square shape arm,
with one-pinch bolt.
Flush machined chainwheel interface.
Left side drive available.
Arm: Cr-Mo, 8T-19mm
Length: 92mm
Finish: ED



KL-9910

Des.: Three pieces crank set.
Forged arms with one-pinch bolt.
Flush machined chainwheel interface.
Left side drive available.
Arm: Alloy, 8T-19mm
Length: 92/127mm
Finish: Anodized



KL-8908R

Des.: Three pieces crank set.
Ø31.8mm round shape arm,
with one-pinch bolt.
Flush machined chainwheel interface.
Left side drive available.
Arm: Cr-Mo, 8T-19mm
Length: 170/175mm
Finish: ED



KL-8902S-A

Des.: Three pieces crank set.
Ø31.8mm square shape arm
with pin type.
Flush machined chainwheel interface.
Left side drive available.
Arm: Cr-Mo, 8T-19mm
Length: 170/175mm
Finish: ED



KL-8901D 8T-19mm

Des.: Three pieces crank set.
Ø28.6mm square shape arm,
with one-pinch bolt
Flush machined chainwheel interface.
Left side drive available.
Arm: Cr-Mo, 8T-19mm
Length: 170/175mm
Finish: ED



KL-8903S-A

Des.: Three pieces crank set. With 2 screws.
Ø31.8mm square shape arm
with pin type.
Flush machined chainwheel interface.
Left side drive available.
Arm: Cr-Mo, 8T-19mm
Length: 170/175mm
Finish: ED



KL-8903H

Des.: Three pieces crank set.
With two screws.
Ø31.8mm square shape arm.
Flush machined chainwheel interface.
Micro-drive available.
Arm: Cr-Mo, 8T-19mm
Length: 170/175mm
Finish: ED



KL-8901R-A

Des.: Three pieces crank set.
Ø28.6mm round shape arm
with pin type.
Flush machined chainwheel interface.
Left side drive available.
Arm: Cr-Mo, 8T
Length: 170/175mm
Finish: ED

BMX-Crank Set



KL-8902R

Des.: Three pieces crank set.
Ø31.8mm round shape arm,
with one-pinch bolt.
Flush machined chainwheel interface.
Left side drive available.
Arm: Cr-Mo, 8T-19mm
Length: 170/175mm
Finish: ED




KL-8903S

Des.: Three pieces crank set.
With two screws.
Ø31.8mm square shape arm,
with one-pinch bolt.
Flush machined chainwheel
interface.
Left side drive available.
Arm: Cr-Mo, 8T-19mm
Length: 170/175mm
Finish: ED



KL-8903S-E

Des.: Three pieces crank set.
With two screws.
Ø31.8mm square shape arm.
Flush machined chainwheel interface.
Micro-drive available.
Arm: Cr-Mo, 8T-19mm
Length: 170/175mm
Finish: ED



KL-8901S-A

Des.: Three pieces crank set.
Ø28.6mm square shape arm
with pin type.
Flush machined chainwheel
interface.
Left side drive available.
Arm: Cr-Mo, 8T-19mm
Length: 170/175mm
Finish: ED



KL-8901S

Des.: Three pieces crank set.
Ø28.6mm square shape arm,
with one-pinch bolt
Flush machined chainwheel interface.
Left side drive available.
Arm: Cr-Mo, 8T-19mm
Length: 170/175mm
Finish: ED



KL-8902S

Des.: Three pieces crank set.
Ø31.8mm square shape arm,
with one-pinch bolt.
Flush machined chainwheel
interface.
Left side drive available.
Arm: Cr-Mo, 8T-19mm
Length: 170/175mm
Finish: ED



KL-06C 8T-19mm

Des.: Euro Sealed Bottom Bracket.
Cr-Mo cold forged spindle.
Alloy cup. Tube spacers.
Adaptor. Screws.
Axle: 8T-19mm
Cup Thread: BC1.37" x 24T L/R
Bearing: Ø31 x 19 x 7mm x 4pcs
Finish: Black



KL-06D 8T-19mm

Des.: Spanish Sealed Bottom Bracket.
Cr-Mo cold forged spindle.
Cone Washer. Tube spacers.
Adaptor. Screws.
Axle: 8T-19mm
Bearing: Ø37 x 19 x 9mm x 2pcs
Finish: Black



KL-06DX 8T-19mm

Des.: Mid Sealed Bottom Bracket.
Cr-Mo cold forged spindle.
Cone Washer. Tube spacers.
Adaptor. Screws.
Axle: 8T-19mm
Bearing: Ø41.28 x 19 x 11mm x 2pcs
Finish: Black



KL-06F 8T-19mm

Des.: American Sealed Bottom Bracket.
Cr-Mo cold forged spindle.
Alloy cup. Cone Washer.
Tube spacers. Adaptor. Screws.
Axle: 8T-19mm
Cup OD: Ø51.5mm
Bearing: Ø41.28 x 19 x 11mm x 2pcs
Finish: Black



KL-10C

Des.: Chainring Inside
Cr-Mo cold forged spindle
Flush machined chainwheel interface
Axle: 8T, M8 x 1
Cup OD: Ø51.5mm. American Loose B.B Set
Ball retainer: 5/16" x 12 x 2pcs
Finish: Black



KL-10C-1

Des.: Chainring Outside
Cr-Mo cold forged spindle
Flush machined chainwheel
interface
Axle: 8T, M8 x 1
Cup OD: Ø51.5mm. Loose B.B Set
Ball retainer: 5/16" x 12 x 2pcs
Finish: Black

BMX-Crank Set



KL-8600

Des.: Three pieces crank set.
Forged arms,with one-pinch bolt.
Flush machined chainwheel interface.
Left side drive available.
Arm: Steel,8T
Length: 170/175mm
Finish: ED



KL-10

Des.: Chainring Inside
Cr-Mo cold forged spindle
Flush machined chainwheel interface
Axle: 8T, M8x1
Cup OD: Ø51.5mm. Loose B.B Set
Ball retainer: 5/16"×12×2pcs
Finish: Black



KL-8906R

Des.: Three pieces Cr-Mo tubular & round crank
arm with one pinch bolt.
6T-19mm spindle interface
Flush machined chainwheel interface.
Arm: Cr-Mo,6T
Length: 170/175mm
Finish: ED



KL-06B-1

Des.: Chainring Inside
Cr-Mo cold forged spindle
Flush machined chainwheel interface
Axle: 6T, M8 x1
Cup OD: Ø51.5mm. Loose B.B Set
Ball retainer: 5/16"×9×2pcs
Finish: Black



KL-8606

Des.: Three pieces crank set.
Forged arms,with one-pinch bolt.
Flush machined chainwheel interface.
Left side drive available.
Arm: Steel, 6T
Length: 170/175mm
Finish: ED



KL-06B

Des.: Chainring Inside
Cr-Mo cold forged spindle
Flush machined chainwheel interface
Axle: 6T, M8 x1
Cup OD: Ø51.5mm. Loose B.B Set
Ball retainer: 5/16"×9×2pcs
Finish: Black

Sprocket



KL-C220

Material: Alloy
Size: 1/2"×1/8"
Teeth: 25T



KL-C308

Material: Alloy
Size: 1/2"×1/8"
Teeth: 25T
Finish: Anodized



KL-C304

Material: Alloy
Size: 1/2"×1/8"
Teeth: 25T
Finish: Anodized



KL-C306

Material: Alloy
Size: 1/2"×1/8"
Teeth: 25T
Finish: Anodized



KL-C307

Material: Alloy
Size: 1/2"×1/8"
Teeth: 25T
Finish: Anodized



KL-C309

Material: Alloy
Size: 1/2"×1/8"
Teeth: 25T
Finish: Anodized



KL-C310

Material: Alloy
Size: 1/2"×1/8"
Teeth: 25T
Finish: Anodized



KL-C311

Material: Alloy
Size: 1/2"×1/8"
Teeth: 25T
Finish: Anodized



Sprocket



KL-C301

Material: Alloy
Size: 1/2" x 1/8"
Teeth: 25T



KL-C302

Material: Alloy
Size: 1/2" x 1/8"
Teeth: 25T



KL-C303

Material: Alloy
Size: 1/2" x 1/8"
Teeth: 28T
Finish: Anodized



KL-C220

Material: Alloy
Size: 1/2" x 1/8"
Teeth: 32T



KL-C221

Material: Alloy
Size: 1/2" x 1/8"
Teeth: 34T



KL-C222

Material: Alloy
Size: 1/2" x 1/8"
Teeth: 36T



KL-C305

Material: Alloy
Size: 1/2" x 1/8"
Teeth: 28T
Finish: Anodized



KL-C202

Material: Alloy
Size: 1/2" x 1/8"
Teeth: 25T



KL-C203

Material: Alloy
Size: 1/2" x 1/8"
Teeth: 25T



KL-C223

Material: Alloy
Size: 1/2" x 1/8"
Teeth: 36T



KL-C114

Material: Steel
Size: 1/2" x 1/8"
Teeth: 25T



KL-C115

Material: Steel
Size: 1/2" x 1/8"
Teeth: 25T



KL-C206

Material: Alloy
Size: 1/2" x 1/8"
Teeth: 25T



KL-C215

Material: Alloy
Size: 1/2" x 1/8"
Teeth: 25T



KL-C216

Material: Alloy
Size: 1/2" x 1/8"
Teeth: 25T



KL-C116

Material: Steel
Size: 1/2" x 1/8"
Teeth: 25T



KL-C117

Material: Steel
Size: 1/2" x 1/8"
Teeth: 25T




KL-C118

Material: Steel
Size: 1/2" x 1/8"
Teeth: 26T



KL-C217

Material: Alloy
Size: 1/2" x 1/8"
Teeth: 25T



KL-C218

Material: Alloy
Size: 1/2" x 1/8"
Teeth: 25T



KL-C219

Material: Alloy
Size: 1/2" x 1/8"
Teeth: 25T



Bmx Stem



KL-S610 CNC Machining

Material: 6061
Extension: 50mm
Handlebar hole: 22.2mm
Width: 48mm
Front fork: 28.6
Installation depth: 30mm



KL-S620 CNC Machining

Material: 6061
Extension: 50mm
Handlebar hole: 22.2mm
Width: 48mm
Front fork: 28.6
Installation depth: 30mm



KL-S680 CNC Machining

Material: 6061
Extension: 40mm
Handlebar hole: 22.2mm
Width: 48mm
Front fork: 28.6
Installation depth: 30mm



KL-S650 CNC Machining

Material: 6061
Extension: 45mm
Handlebar hole: 31.8mm
Width: 50mm
Front fork: 28.6
Installation depth: 30mm




KL-S660 CNC Machining

Material: 6061
Extension: 35mm
Handlebar hole: 31.8mm
Width: 50mm
Front fork: 28.6
Installation depth: 35mm



KL-S670 CNC Machining

Material: 6061
Extension: 45mm
Handlebar hole: 31.8mm
Width: 50mm
Front fork: 28.6
Installation depth: 40mm



KL-S690 CNC Machining

Material: 6061
Extension: 35mm
Handlebar hole: 31.8mm
Width: 50mm
Front fork: 28.6
Installation depth: 35mm



KL-S691 CNC Machining

Material: 7075
Extension: 30mm
Handlebar hole: 31.8mm
Screw size: M6
Width between screws: 30mm



KL-S692 CNC Machining

Material: 6061
Extension: 15mm
Handlebar hole: 31.8mm
Width: 66mm
Front fork: 28.6
Installation depth: 35mm

Bmx Peg



KL-P114

Material: Alloy+Plastic
Length: 110mm
OD: 40mm
Threadless: 10-14mm



KL-P115

Material: Alloy
Length: 110mm
OD: 38mm
Threadless: 10-14mm



KL-P116

Material: Alloy
Length: 72mm
OD: 31.8mm
Threadless: 10-14mm

Bmx Pedals



KL-P501

Body: Cold-forged one-piece aluminum, bead blasted, black or silver.
Axle: CNC-machined Cr-Mo.
Bearing: LSL & sealed ball bearings.
Size: 108x95x16mm
Weight: 182g



KL-P801

Body: Cold-forged one-piece
Axle: CNC-machined Cr-Mo.
Bearing: LSL & sealed ball bearings.
Size: 102x93x18mm
Weight: 141g



KL-PN010

Body: Plastic
Axle: CNC-machined Cr-Mo.
Bearing: LSL & sealed ball bearings.
Size: 105x105x26mm
Weight: 141g

